

EFFECT OF METHYL BROMIDE GAS ON THE  
LARVAE OF POTATO TUBER MOTH

(*Phthorimaea operculella* Zell.)<sup>1</sup>

M. S. TAHERI<sup>2</sup> & B. ABAZARIAN<sup>3</sup>

SUMMARY

Three experiments have been carried out in this regard during which different amounts of gas have been tested. The results have been given in three tables in Farsi text. These tables are presented in both Farsi and English languages.

REFERENCES

- BOND, E. J. & SVEC, H. J., 1977- Control of Colorado Potato Beetle ,  
*Leptinotarsa decemlineata*, in shipments of harvested potatoes, *Can. Entomol.*,  
109 pp : 285 - 288.
- BOND, E. J., 1984- Manual of fumigation for insect control, F. A. O. plant  
production and protection paper No : 54, pp : 315.
- HABIBI, J., 1986- Primary studies on Potato Tuber Moth, *Phthorimaea operculella*  
Zell. a new and quarantine pest of potato in Iran. 8th Plant Protection  
Congress of Iran, pp : 41 (in Farsi with a summary in English).

---

1 - Received for publication , October 18, 1987.

2 - Mohammad Sadegh Taheri, Plant Pests and Diseases Research Ins -  
titute, P. O. Box 19395 - 1454, Tehran, Iran.

3 - Eng. Bijan Abazarian, Plant Protection Organization, P. O. Box  
19395 - 4568, Tehran, Iran.