

Ent. Phyt. Appliq.
Vol. 55, No. 1 & 2, Fév. 1988

**INVESTIGATIONS ON SOME BIOLOGICAL FEATURES
OF THE SUGAR - BEET WEEVIL (*Lixus incanescens* Boh.)
IN AZARBAIDJAN¹**

R. PARVIZI² & H. JAVAN - MOGHADDAM³

SUMMARY

This insect has three generations in a year. The winter is passed as adult weevils.

In Oroomyeh conditions a generation (oviposition to the emergence of new adults) takes 31 - 43 days to be achieved. The second generation is the most harmful one. The damage in late planted fields is more important than that in early planted ones. The weeds fed by the pest have been determined (for more details refer to the tables in Farsi text prepared in both Farsi and English languages).

REFERENCES

- AFSHAR, J., 1938 - The pests of industrial plants of Iran. *Min. Agric.* (in Farsi).
ALEEVA, M. N., 1953- Data on the biology of weevils (Col. : Curculionidae)

-
- 1 - Received for publication , December 24, 1985.
2 - Eng. Rahim Parvizi, P. O. Box 365, Plant Pests and Diseases Research Laboratory, Oroomyeh, Iran.
3 - Eng. Hooshang Javan - Moghaddam, P. O. Box 19395 - 1454, Plant Pests and Diseases Research Institute, Tehran, Iran.

injurious to sugar beet in Kazakhstan. *Ent. obozron.* 33 pp. 103 - 108
(in Russian).

DAVATCHI, A. & KHEYRI, M., 1964 - Sugar beet weevils of Iran and
their control, pub. of sugar beet seed Institute (in Farsi with a summary
in French).

KRIVOCHINA, N. P., 1975 - The biology of weevils (Col. : Curculionidae)
developing on sand - binding plants in the Turkmen SSR. *Ent. obozron.*
S4 : 117 - 126.

INVESTIGATIONS ON SOME BIOLOGICAL FEATURES

OF THE SUGAR - BEET WEEVIL (*Curculio caryophylli* L.)

IN AZERBAIDZHAN

R. PARVINI & M. JAVAN - MOGHADDAMI

SUMMARY

The weevil has three generations in a year. The winter is passed as adults

in the ground. The emergence of the first generation is in the beginning of
the second generation is the most harmful one. The damage in late planted fields is more important than
that in early planted ones. The weevils fed by the beet have been distinguished from
those which enter to the tubers in Farsi text prepared in both Farsi and English

REFERENCES

- ARSHAD, J. 1938 - The pests of industrial plants of Iran. Mos. State Univ. (in
Farsi)
- ALIBAYEV, M. N. 1958 - Data on the biology of weevils (Col. : Curculionidae)

1 - Received for publication, December 24, 1983.
2 - Ing. Khatun Parvini, P. O. Box 365, Plant Protection and Diseases Research
Laboratory, Omsk, Iran.
3 - Ing. Moshang Javan - Moghaddami, P. O. Box 15355 - 1454, Plant
Protection and Diseases Research Institute, Tehran, Iran.