

آفات و بیماریهای گیاهی
جلد ۵۹، شماره‌های ۱ و ۲، بهمن ۱۳۷۰

گزارش کوتاه علمی

اولین گزارش حشره *Cassida nobilis* L. به عنوان آفت چغندر قند در ایران. محمد خیری و
هوشنگ برومند، مؤسسه تحقیقات آفات و بیماریهای گیاهی

کاسید چغندر (*Cassida nobilis* L. (Syn: *Cassida Viridula* Payk.) که متعلق به خانواده Chrysomelidae و تحت خانواده Cassidinae می باشد در تابستان ۱۳۷۰ نمونه‌های آن به تعداد زیاد از مزارع چغندر کاری از مغان جمع آوری و جهت بررسی و تشخیص به مؤسسه تحقیقات آفات و بیماریهای گیاهی ارسال گردید که پس از مطالعه در بخشهای ذیربط نام علمی آن بشرح فوق تعیین و مشخص گردید بطوریکه این حشره، آفت جدیدی برای زراعت چغندر قند منطقه می باشد زیرا تاکنون در ایران بعنوان آفت چغندر قند جمع آوری و گزارش نگردیده است. مناطق انتشار این حشره اغلب نواحی استپی، اروپای مرکزی، اروپای خاوری و مراکش ذکر گردیده و مخصوصاً در اروپای مرکزی به چغندر قند خسارت می زند.

SHORT REPORT

First Report of *Cassida nobilis* L. as sugarbeet pest in Iran. M. KHEYRI and H. BROOMAND. Plant Pests & Diseases Research Institute.

Cassida nobilis L. has been recorded on sugarbeet with high population from Moghan on August, 1991. This is the first report of *Cassida nobilis* in Iran. It was found that adults and larvae of this insect feed on young sugarbeet leaves severely. At present this insect is distributed in Moghan sugarbeet cultivation area. *Cassida nobilis* is distributed in Central and Eastren Europe and Moroc. It damages the sugarbeet in Central Europe.